

# ZIP-SCREEN, SCREEN & MARKISOLETTE

| ZIP65 / ZIP80 / ZIP100 / ZIP135 |  
| VS100 STANDARD / VS100 WIRE |  
| MT100 | ZIP110 / ZIP110R |



# FOR ANY BUILDING!

There are many variants in the Hunter Douglas Screen system, all of which are perfectly suited to both private buildings and public environments. The products work especially well when you want to control the inflow of natural light while retaining visual contact with the outdoors. A product from the Screen series also reflects heat and stops annoying glare. The markisolette awning is well suited for buildings with tall windows. Thanks to the system's wide range, you can choose the exact product that best fits your new or existing building. Every model in the series is wind-class tested and CE marked.





A two-story house with a dark tiled roof and a chimney. The exterior walls are covered in light-colored horizontal siding. On the left side, there is a vertical section of dark grey siding. Several windows are visible, each with a dark grey Zip-Screen product installed. A balcony with a black metal railing is on the right side of the upper floor. The house is set on a grassy hill with a view of a valley and distant hills under a clear blue sky.

# ALL YEAR ROUND. WHATEVER THE WEATHER.

Hunter Douglas Zip-Screen products are a windproof system that serves as a form of dynamic wall with no gaps between the screen fabric and side rails. You can use your Zip-Screen all year round and in all weather conditions. Furthermore, a Zip-Screen can be used as an extra layer of insulation during the winter.

This means you can avoid the problem of condensation on the outside of your windows. Another advantage of the Zip-Screen is that it keeps out unwanted insects in the summer.


# ZIP-SCREEN 65/80/100/135

Zip-Screen is the premium model in the series and is available in the following cassette sizes: 65, 80, 100, and 135 mm.

## ZIP65

A neat and compact tape-operated Zip-Screen.  
Maximum size:  
1400 x 1600 mm (WxH).


ZIP65




## ZIP80

A neat and compact Zip-Screen that can be operated using either a tape or motor.  
Maximum size:  
2200 x 2200\* mm WxH.  
\* The maximum height when tape-operated is 2000 mm

ZIP80




ZIP80 Square




## ZIP100

A motor-operated Zip-Screen.  
Maximum size:  
4000 x 3500 mm (WxH).

ZIP100



ZIP100 Square




## ZIP135

A robust motor-operated Zip-Screen for large window sections.  
Maximum size:  
6000 x 3000 mm /  
4000 x 6000 mm (WxH)

ZIP135



ZIP135 Square



# SCREEN VS100 STANDARD & WIRE

The VS100 with traditional guide rails or wire guide is our base model that can be used when a regular screen product will cover your needs.

## VS100 STANDARD


A screen product with a front profile that is guided by way of a "regular" aluminium side rail. Tape or motor-operated.

Maximum size:  
4000 x 2750 mm /  
2500 x 3500 mm (WxH)

VS100  
Standard



VS100 Standard  
Square




## VS100 WIRE

A product from the screen series with a tape or motor-operated wire-guided front profile.


The wire guide results in an installation that is more visually discrete on the façade.

Maximum size:  
4000 x 2500 mm /  
2500 x 3000 mm (WxH)

VS100  
Wire



VS100 Wire  
Square





# ZIP-SCREEN 110 & RECESS ZIP-SCREEN 110R

Zip100 is a Zip-Screen where the front profile is hidden in the cassette. The 110R model is designed to be fully integrated into window or door sections.

## ZIP110


On this Zip-Screen the front profile goes up into the cassette.

Motor-operated.

Maximum size:

4000 x 3500 mm (WxH)

ZIP110





## ZIP110R

Is a recess Zip-screen which can be built-in into the facade. Motor and fabric can be dismantled from below the cassette. Both standard and deep guiding rails. Motor-operated.

Maximum size:

4000 x 3500 mm (BxH)

ZIP110R



# MARKISOLETTE MT100


Suitable for buildings with tall windows. The fabric runs vertically along the upper part of the window to fold out like a normal awning at a certain position.

## MT100


A markisolette that is operated with a motor.

Maximum size: 3000 x 3500 mm (WxH)

MT100



MT100 Square





# EASY TO MANUFACTURE

Unlike other products on the market, the Hunter Douglas Zip-Screen system is quick and easy to manufacture and install. A well thought-out basic design facilitates easy manufacture and results in a robust and reliable end product.



All the internal functions are integrated into a few robust components. No cut-outs from profiles, and no screws to install the motor or other parts inside the cassette.

This also makes any future servicing much easier. The motor is easily accessible upon opening the cover, such as when adjusting end limits.



Once the visible blue safety lock is unfastened the roller tube can be removed from the cassette if the fabric needs to be replaced. Simple and intuitive, with no tools required.

The fact that many of the components are shared between the various cassette sizes offers considerable advantages and flexibility for the manufacturer of the system.





## PART OF THE HOUSE

A screen awning is mounted directly to the façade, which maximizes wind resistance at the same time as it minimizes the "protrusion" from the façade. A screen awning is therefore ideal for e.g. balconies and other places where it is windy or tight to pass.





# WIND CLASSES

| ZIP-SCREEN 65/80/100/135 | VS100 STANDARD/WIRE | MT100 | ZIP110/ZIP110R |

 WIND CLASS 6 EN 13561

 WIND CLASS 3 EN 13561

☐ OUTSIDE OUR RECOMMENDATIONS

ZIP65	1.0	1.20	1.40
1.0			
1.20			
1.40			
1.60			

ZIP80	1.0	1.20	1.40	1.60	1.80	2.0	2.20
1.0							
1.20							
1.40							
1.60							
1.80							
2.0							
2.20							

[illegible][illegible][illegible]

MT100	1.0	1.25	1.50	1.75	2.0	2.25	2.50	2.75	3.0
1.0									
1.25									
1.50									
1.75									
2.0									
2.25									
2.50									
2.75									
3.0									
3.25									
3.50									

[illegible]





